

Food Grade Compliance Documentation

PRODUCT: CRC FOOD GRADE MULTI-PURPOSE GREASE

CODE: FGSL35600

SIZE: 397g

THIS DOCUMENT CONTAINS

SDS

TDS

- NSF Registration
- Allergen Certificate
- HACCP Certification



IN CASE OF EMERGENCY CALL: 13 11 26

CRC Industries Australia Pty. Ltd.

9 Gladstone Road Castle Hill NSW 2154, Australia www.crcindustries.com.au

Toll Free: 1800 224 227

Email: info.au@crcind.com



The Professional's Choice

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MULTIPURPOSE FOOD GRADE GREASE

Synonyms CRC MULTIPURPOSE FOOD GRADE GREASE ● FGSL35600 - PRODUCT CODE

1.2 Uses and uses advised against
Uses GREASE

1.3 Details of the supplier of the product

Supplier name CRC INDUSTRIES (AUST) PTY LIMITED

Address 9 Gladstone Road, Castle Hill, NSW, 2154, AUSTRALIA

 Telephone
 (02) 9849 6700

 Fax
 (02) 9680 4914

 Email
 info@crcind.com

Website www.crcindustries.com.au

1.4 Emergency telephone numbers

Emergency 13 11 26 (PIC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	232-455-8	50 to 80%
ZINC OXIDE	1314-13-2	215-222-5	7 to 13%
BUTENE, HOMOPOLYMER	9003-29-6	500-004-7	7 to 13%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting.

ChemAlert.

SDS Date: 09 Jan 2020 Version No: 2.2

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases (carbon/ nitrogen oxides, hydrocarbons) when heated to decomposition.

5.3 Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
	Kelelelice	ppm	mg/m³	ppm	mg/m³
Mineral Oil Mist	SWA [AUS]		5		
Zinc oxide (dust)	SWA [AUS]		10		
Zinc oxide (fume)	SWA [AUS]		5		10



SDS Date: 09 Jan 2020 Version No: 2.2

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

Page 3 of 6

ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE

Eye / Face Wear splash-proof goggles.

Hands Wear PVC or rubber gloves. With prolonged use, wear viton (R) or nitrile gloves.

Body With prolonged use, wear coveralls.

Respiratory Where an inhalation risk exists, wear a Type A (Organic vapour) respirator.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance VISCOUS WHITE GREASE

SLIGHT ODOUR Odour NON FLAMMABLE **Flammability NOT RELEVANT** Flash point **NOT AVAILABLE Boiling point Melting point NOT AVAILABLE Evaporation rate NOT AVAILABLE NOT AVAILABLE** pН Vapour density **NOT AVAILABLE**

Specific gravity 0.89

Solubility (water) **INSOLUBLE** NOT AVAILABLE Vapour pressure **NOT AVAILABLE** Upper explosion limit Lower explosion limit **NOT AVAILABLE Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE Oxidising properties NOT AVAILABLE Odour threshold NOT AVAILABLE**

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites).



SDS Date: 09 Jan 2020

Version No: 2.2

10.6 Hazardous decomposition products

May evolve toxic gases (carbon/ nitrogen oxides, hydrocarbons) when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. Ingestion of large quantities may result in

nausea, vomiting, abdominal pain and diarrhoea.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
WHITE MINERAL OIL (PETROLEUM)	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)	5 mg/L/4hrs (rat)
ZINC OXIDE	7950 mg/kg (mouse)		2500 mg/m³ (mouse)

Skin Not classified as a skin irritant. Prolonged or repeated contact may result in mild irritation, rash and

dermatitis.

Eye Not classified as an eye irritant. Contact may result in mild irritation, lacrimation and redness.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen.

Carcinogenicity Not classified as a carcinogen. Highly refined mineral oils are not classifiable as to its carcinogenicity in

humans (IARC Group 3).

Reproductive Not classified as a reproductive toxin.

STOT - single Not classified as causing organ damage from single exposure. Due to product form / nature of use, an inhalation hazard is not anticipated with normal use. However, if product is heated or mists generated,

exposure may result in respiratory irritation, headache and nausea.

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

Aspiration Not classified as causing aspiration.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

This product can float on water, restricting oxygen exchange with possible asphyxiation of aquatic life.

12.2 Persistence and degradability

Expected to be inherently biodegradable.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

Low solubility and is expected to migrate from water to the land. Expected to partition to sediment and wastewater solids.

12.5 Other adverse effects

Mineral oils biodegrade slowly and should not be released to waterways or soil. They can float on water, restricting oxygen exchange with possible asphyxiation of aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Reuse where possible or return to manufacturer/supplier. May be recycled. Do not release to drains or

waterways. Contact the manufacturer/supplier for additional information (if required).

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA



SDS Date: 09 Jan 2020 Version No: 2.2

Page 4 of 6

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals.

Inventory listings AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information

MINERAL OILS - SOLVENT REFINED: Animal experiments and human experience have not shown cancer risks when handling solvent refined mineral oils, unlike non refined mineral oils. CLEANING MINERAL OIL CONTAMINATED CLOTHING: Cleaners are advised that when cleaning oil contaminated clothing it is essential that freshly distilled solvent is used for each batch, including final rinse, as even filtered solvent will leave oil residues.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 09 Jan 2020 Version No: 2.2

Page 5 of 6

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]

Page 6 of 6



SDS Date: 09 Jan 2020

Version No: 2.2

TECHNICAL DATA SHEET

Product No. FGSL35600



CRC Industries (Aust) Pty. Limited

PO Box 199, Castle Hill, NSW 1765.

I. Product Description

CRC Food Grade Multipurpose Grease is a tenacious, white, aluminium complex grease providing superior lubrication and durability in food production and processing applications. It is designed for effective lubrication and protection of ball, roller and plain bearings that operate under high loads and temperatures and require a long grease life.

CRC Food Grade Multipurpose Grease protects equipment against rust, oxidation and wear. It resists throw-off, shear breakdown as well as water and detergent wash out. It will not pound out of bearings and bushings during shock loads.

Temperature Range from -20 °C to 200 °C. NSF H1 Registered for incidental food contact.

II. Features & Benefits

- Excellent Adhesion Resists Sling-Off
- Highly resistant to moisture, water and detergent Will not wash off when equipment is cleaned
- Protects against rust and corrosion
- Non-toxic, odourless, tasteless
- Wide Temperature Range Effective from -20 °C to 200 °C
- NSF H1 Registered for incidental food contact

III. Application and Directions

Do not mix greases of different base type.

Use a solvent to remove and clean out traces of incompatible grease before repacking.

IV. Typical Properties and Characteristics

Physical Properties:

Flash Point	> 230 ℃
Boiling Point	ND
Appearance	White Grease
Odour	Slight odour
Solubility	Slight in water
% Volatile	0.3%
NLGI	Grade 2
Specific Gravity	0.89

Product No. FGSL35600

Performance Characteristics:

Viscosity Base Oil @ 37℃	SUS 600
Viscosity Base Oil @ 99 ℃	SUS 69
Drop Point (ASTM D-2268)	250℃
Timken OK Load (ASTM D-2509)	30 lbs
Four-Ball EP Weld (ASTM D-2596)	400 kg F
Temperature Range	-20 °C to +200 °C

V. Package Description

Part Number Size

FGSL35600 397grm

VI. Special Precautions

General:

Use with adequate ventilation. Store in a cool, well-ventilated area. Dispose of empty containers safely. All unused product should be disposed of in conformance with local and HSNO regulations, do not contaminate water supply.

First Aid:

Swallowed – If swallowed do NOT induce vomiting.

Skin – Remove contaminated clothing and wash skin thoroughly with soap and water. Remove any adhering solids with industrial skin cleansing cream. Do not use solvents. Seek medical attention in the event of irritation. Wash contaminated clothing before reuse.

Eyes – Immediately hold the eyelids apart and flush the eye continuously for at least 15 minutes with fresh running water.

Refer to Safety Data Sheet for more details.

PRODUCT WARRANTY: CRC offers a conditional warranty on this product for the period of 5 years from the date of manufacture.

<u>DISCLAIMER</u>: All information on this data sheet is based on testing by CRC Industries (Aust.) Pty. Ltd. All products should be tested for suitability on a particular application prior to actual use. CRC Industries (Aust.) Pty. Ltd. makes no representations or warranties of any kind concerning this data.



February 6, 2004

Steven S. Katz CRC INDUSTRIES, INC. 885 LOUIS DRIVE WARMINSTER, PA 18974 UNITED STATES

RE MULTI-PURPOSE FOOD GRADE GREASE

Category Code: H1

NSF Registration No. 132939

Dear Steven S. Katz:

NSF has processed the application for Registration of **MULTI-PURPOSE FOOD GRADE GREASE** to *the NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds* (2004), which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (http://www.nsf.org/usda). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at http://www.nsf.org/usda. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

Carmen Grindatti

NSF Nonfood Compounds Registration Program

Company No: N02027

Global Headquarters: 800 Enterprise Road, Suite 101 | Horsham, PA 19044 | 215.674.4300 **Manufacturing and R&D Center:** 885 Louis Drive | Warminster, PA 18974 | 215.674.4300

ALLERGEN CERTIFICATE

Date: 01-Feb-22

Product Name: Multi-Purpose Food Grade Grease - 14 oz

Product Code: No. SL35600 (Item# 1007924)

CRC has evaluated the above product against a list of internationally recognized and regulated allergens. The following information is provided to assist our customers in complying with allergen safety programs.

Allergen	Present in Product	Present on Same Production Line	Present in Facility
Dairy / Milk	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Soy	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Peanut	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Egg	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Tree Nut (almonds, brazil nuts, cashews, hazelnuts,	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
macadamia nuts, pecans, pine nuts, pistachio nuts and walnuts)			
Sesame Seed	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Mustard Seed	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Gluten (wheat, barley, oats, rye)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Seafood (fish, crustacean and molluscan shellfish)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Sulfites	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Buckwheat	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Celery	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Lupin	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Bee pollen / Propolis	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Royal Jelly	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Mango	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Peach	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Pork	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Tomato	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Latex (natural rubber)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. For more information, please contact our Technical Service Dept at 800-521-3168.

CRC INDUSTRIES, INC.

Michelle Rudrick

Michelle Rudnick Global Director of Regulatory Affairs

HACCP INTERNATIONAL

eliminate the hazard - reduce the risk



This is to certify that

CRC Industries (Aust) Pty Limited

CRC Green Light Program (SSZ) - limited to the lubricant products listed below Food Zone Classification: SSZ (Splash or Spill Zone)

> (Limited to the products listed on the Certification Statement)

are certified as suitable aids to equipment maintenance operations within food facilities that operate a

HACCP based Food Safety Programme

noting the conditions of the certification statement



03 March 2023

18 March 2025

Issue Date

Expiry Date

This certificate belongs to HACCP International and must be returned upon demand. All products and services to which this certificate refers are evaluated prior to reissue

HACCP INTERNATIONAL: No. 3 Ridgewest Building, 1 Ridge Street, North Sydney, NSW 2060, Australia www.hacco-international.com



PE-747-CRC-1-R1-05

HACCP INTERNATIONAL

eliminate the hazard - reduce the risk

Certification Statement

PE-747-CRC-1-R1-05

CRC Industries (Aust) Pty Limited

Certificate Expiry Date 18 March 2025

CRC Green Light Program (SSZ) - limited to the lubricant products listed below

Food Zone Classification: SSZ (Splash or Spill Zone)

FG03035 CRC Water Based Silicone 13oz

FG03038 CRC Food Grade White Grease 10oz

FG03039 CRC Food Grade Silicone 15oz

FG03040 CRC Food Grade Silicone 10oz

FG03054 CRC Syntha-Tech Lubricant with PTFE 11oz

FG03055 CRC Food Grade Chain Lube 12oz

FG03065 CRC Food Grade Belt Dressing 10oz

FG03081 CRC Food Grade Machine Oil 11oz

FG03082 CRC Di-Electric Grease 10oz

FG03085 CRC Food Grade Di-Electric Grease 3.3oz

FG03086 CRC Food Grade Penetrating Oil 11oz

FG03139 CRC Parcel Glide Silicone Lubricant 15oz

FG3037 CRC Food Grade Industrial Silicone Grease 75ml

FGSL35600 Sta-Lube Multi-purpose Food Grade Grease 14oz

FGSL35610 CRC Synthetic Food Grade Grease 14oz

FGSL35905 Sta-Lube FG Anti-Seize & Lubricating Compound 8oz

HACCP Australia Pty Ltd certifies the Green Light Program provided by CRC Industries as a suitable aid to equipment maintenance operations within food handling and food processing facilities that operate a HACCP based Food Safety Programme.

Licence Commencement 19 March 2023

Certificate Issue Date 03 March 2023



HACCP International's evaluation and certification is strictly confined to matters of food safety or the operation of a HACCP based Food Safety Programme. Whilst all reasonable care is taken by HACCP International in its evaluation of the product(s) or services(s) described herein, HACCP International does not guarantee that every food safety risk in every application has been identified. No guarantee is offered or implied in the issuing of this statement.

Licence Agreement

CRC Industries (Aust) Pty Limited is licensed to use the HACCP International certification mark, in accordance with HACCP International's Certification Trade Mark Rules and Conditions in Region 1 (Australasia) in respect of the products listed above, for a period of 24 months from the licence commencement date CRC Industries (Aust) Pty Limited is in receipt of the HACCP International Pty Ltd Certification Trade Mark Rules and Conditions v3.0 and agrees to abide by the conditions therein.

Licensee's Signature:



Date: 14/03/202

