

Food Grade Compliance Documentation

PRODUCT: CRC FOOD GRADE SILICONE WATER BASED

CODE: FG03035

SIZE: 369g

THIS DOCUMENT CONTAINS

SDS

TDS

- NSF Registration
- Allergen Certificate
- HACCP Certification



IN CASE OF EMERGENCY CALL: 13 11 26

CRC Industries Australia Pty. Ltd.

9 Gladstone Road Castle Hill NSW 2154, Australia www.crcindustries.com.au

Toll Free: 1800 224 227

Email: info.au@crcind.com



The Professional's Choice

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name WATER BASED SILICONE

CRC WATER BASED SILICONE • FG03035 - PRODUCT CODE **Synonyms**

1.2 Uses and uses advised against

GREASE • LUBRICANT Uses

1.3 Details of the supplier of the product

CRC INDUSTRIES (AUST) PTY LIMITED Supplier name

Address 9 Gladstone Road, Castle Hill, NSW, 2154, AUSTRALIA

(02) 9849 6700 Telephone (02) 9680 4914 Fax info.au@crcind.com **Email** Website www.crcindustries.com.au

1.4 Emergency telephone numbers

13 11 26 (PIC) **Emergency**

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Aerosols - Pressurised: Category 3

Health Hazards

Not classified as a Health Hazard

Environmental Hazards

Not classified as an Environmental Hazard

2.2 GHS Label elements

WARNING Signal word

Pictograms

Hazard statements

H229 Pressurized container: may burst if heated.

Prevention statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Pressurized container: Do not pierce or burn, even after use. P251

Response statements

None allocated.

Storage statements

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Disposal statements

None allocated.

ChemAlert. Page 1 of 7 Revision No: 2.5

SDS Date: 31 Jul 2020

2.3 Other hazards

No information provided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	232-455-8	10 to 20%
PETROLEUM GASES, LIQUEFIED, SWEETENED (<0.1% 1,3-BUTADIENE)	68476-86-8	270-705-8	8 to 12%
DIMETHYL SILOXANE	63148-62-9	613-156-5	2 to 5%
WATER	7732-18-5	231-791-2	70 to 80%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Aerosol may explode at temperatures exceeding 50°C.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

2YE

2 Fine Water Spray.

Y Risk of violent reaction or explosion. Wear full fire kit and breathing apparatus. Contain spill and run-off.

E Evacuation of people in and around the immediate vicinity of the incident should be considered.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel.

6.2 Environmental precautions

Prevent product from entering drains and waterways.



SDS Date: 31 Jul 2020 Revision No: 2.5

6.3 Methods of cleaning up

If aerosol can damaged or leaking, contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
Ingredient		ppm	mg/m³	ppm	mg/m³
Liquefied petroleum gas (LPG)	SWA [AUS]	1000	1800	1000	1800
Mineral Oil Mist	SWA [AUS]		5		

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

Eye / Face Wear splash-proof goggles. **Hands** Wear PVC or rubber gloves.

Body Not required under normal conditions of use. **Respiratory** Not required under normal conditions of use.





9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance CREAMY WHITE LIQUID (AEROSOL DISPENSED)

SOLVENT ODOUR Odour **Flammability** NON FLAMMABLE **NOT RELEVANT** Flash point **Boiling point NOT AVAILABLE Melting point NOT AVAILABLE Evaporation rate NOT AVAILABLE** pН **NOT AVAILABLE** Vapour density **NOT AVAILABLE**

Specific gravity 0.97



SDS Date: 31 Jul 2020 Revision No: 2.5

Page 3 of 7

9.1 Information on basic physical and chemical properties

INSOLUBLE Solubility (water) NOT AVAILABLE Vapour pressure NOT AVAILABLE Upper explosion limit **NOT AVAILABLE** Lower explosion limit **NOT AVAILABLE** Partition coefficient **NOT AVAILABLE** Autoignition temperature **Decomposition temperature NOT AVAILABLE Viscosity NOT AVAILABLE** NOT AVAILABLE **Explosive properties** NOT AVAILABLE Oxidising properties **Odour threshold** NOT AVAILABLE

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity This product is ex

This product is expected to be of low toxicity. Based on available data, the classification criteria are not met. This product may have the potential to cause adverse health effects if intentionally misused (e.g. deliberately inhaling contents).

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
WHITE MINERAL OIL (PETROLEUM)	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)	5 mg/L/4hrs (rat)
DIMETHYL SILOXANE	> 17000 mg/kg (rat)	> 2000 mg/ kg (rabbit)	

Skin Not classified as a skin irritant. Contact may result in mild irritation.

Eye Not classified as an eye irritant. Contact may cause discomfort, lacrimation and redness.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity No evidence of mutagenic effects.

Carcinogenicity No evidence of carcinogenic effects.

Reproductive No relevant or reliable studies were identified.

STOT - singleNot classified as causing organ damage from single exposure. This product may have the potential to cause exposure adverse health effects if intentionally misused (e.g. deliberately inhaling contents). High level exposure may

result in nausea, dizziness and drowsiness.

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

Aspiration Ingestion is considered unlikely due to product form.

12. ECOLOGICAL INFORMATION



SDS Date: 31 Jul 2020 Revision No: 2.5

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Dispose of to landfill. Do not puncture or incinerate aerosol cans. Contact the manufacturer/supplier for

additional information (if required).

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	1950	1950	1950
14.2 Proper Shipping Name	AEROSOLS	AEROSOLS	AEROSOLS
14.3 Transport hazard class	2.2	2.2	2.2
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant.

14.6 Special precautions for user

 Hazchem code
 2YE

 GTEPG
 2D1

 EmS
 F-D, S-U

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals.

ChemAlert.

SDS Date: 31 Jul 2020 Revision No: 2.5

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

UNITED STATES: TSCA (US Toxic Substances Control Act)
All components are listed on the TSCA inventory, or are exempt.

16. OTHER INFORMATION

Additional information

AEROSOL CANS may explode at temperatures approaching 50°C.

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

All I	A 0 0 11 1
Ahhreviations	ACGIH

ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average



SDS Date: 31 Jul 2020 Revision No: 2.5

Page 6 of 7

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711

Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]

Page 7 of 7



SDS Date: 31 Jul 2020

Revision No: 2.5

TECHNICAL DATA SHEET

Product No. FG03035



CRC Industries (Aust) Pty. Limited

PO Box 199, Castle Hill, NSW 1765.

I. Product Description

CRC Water Based Silicone is a non-flammable, NSF H1 registered multi-purpose silicone spray for food processing and handling applications. It forms a white emulsion that is an odourless, non-staining film that lubricates and protects inmost metal to non-metal applications. **CRC Water Based Silicone** is a silicone rich formula that eliminates binding and sticking, while protecting most surfaces.

II. Applications

Recommended to lubricate food processing and handling equipment, chutes, guides, rails, conveyors, bottling machinery, slicers, ovens, freezers, knives and saws.

Other applications include lubricating linkages, moulds, motor bearings, projectors, pulleys, timers, rubber seals, tools, vending machines and ceramic insulators. Also recommended for metal-to-non-metal and plastic-to-plastic lubrication applications.

III. Features & Benefits

- NSF H1 Registered for incidental food contact.
- Eliminates sticking and binding while protecting most surfaces.
- Non-Hardening Film. Minimizes corrosion and provides excellent lubricity.
- Reduces Galling and Friction. Eases metal-to-non-metal contact areas.
- Harmless to Most Rubbers and Plastics. .
- •S.D.[L.]™- Safety Data Label. Provides instant access to current safety information should an accident or OSHA inspection occur. Helps comply with OSHA Hazard Communications Standard 29 CFR1910.1200.

IV. Physical Properties without propellant

Flash Point	None		
Boiling Point	100°C (initial)		
Odour	Mild Mineral Oil		
Solubility	Dispersible in Water		
Appearance	Creamy White Liquid %		
VOC Content	94.8 g/L		
Propellant	Hydrocarbon		
pH	9.8		

V. Specifications and Approvals

• NSF registration # 140129, Category Code H1 for use in meat and poultry plants.

VI. Directions

Directions: Read entire label before using this product.

- 1. Shake well before using.
- 2. Spray in light, even coats to areas requiring lubrication.
- 3. Repeat step 2 until adequate lubrication or protection is achieved. Use only the necessary amount to achieve results.
- 4. Re-apply as needed to maintain performance.

VII. Package Description

Part Number Container Size

FG03035 369grm

VIII. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

IX. Special Use Warnings

Aerosol Cans

Do not puncture, incinerate or store above 50 °C. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

General

Use only in a well-ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapour and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Material Safety Data Sheet.

NSF Nonfood Compounds Registration Program

This CRC product is registered with the NSF for use in meat and poultry plants. NSF International, formerly the National Sanitation Foundation, is known for the development of standards, product testing and certification services in the areas of public health safety and protection of the environment. The NSF Nonfood Compounds Registration Program replaces the program formerly administered by the United States Department of Agriculture (USDA) and discontinued in February 1998. Products eligible for NSF registration include all compounds used in food handling, processing and storage, such as disinfectants and lubricants. The NSF registration assures inspection officials and end users that registered products are safe to use in food processing environments.

Refer to Safety Data Sheet for more details.

PRODUCT WARRANTY: CRC offers a conditional warranty on this product for the period of 5 years from the date of manufacture.

<u>DISCLAIMER</u>: All information on this data sheet is based on testing by CRC Industries (Aust.) Pty. Ltd. All products should be tested for suitability on a particular application prior to actual use. CRC Industries (Aust.) Pty. Ltd. makes no representations or warranties of any kind concerning this data.



August 28, 2008

Ms. Suzanne Zefferi CRC INDUSTRIES, INC. 885 LOUIS DRIVE WARMINSTER, PA 18974 UNITED STATES

RE: CRC® Industrial Water Based Silicone

Category Code: H1

NSF Registration No. 140129

Dear Ms. Suzanne Zefferi:

NSF has processed the application for Registration of **CRC® Industrial Water Based Silicone** to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2008), which are available at www.nsfwhitebook.org. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the Registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (www.nsfwhitebook.org). The NSF Registration Mark can be downloaded by clicking the "Download Registration Mark" link on the NSF website (www.nsfwhitebook.org).

NSF Listing of all Registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at www.nsfwhitebook.org. Changes in formulation or label, without the prior written consent of NSF, will void Registration, and will supersede the on-line listing.

Sincerely,

Jennifer De France

Genefer De france

NSF Nonfood Compounds Registration Program

Company No: N02027

Global Headquarters: 800 Enterprise Road, Suite 101 | Horsham, PA 19044 | 215.674.4300 Manufacturing and R&D Center: 885 Louis Drive | Warminster, PA 18974 | 215.674.4300

ALLERGEN CERTIFICATE

Date: 12-Jun-19

Product Name: Water Base Silicone

Product Code: No. 03035 (Item# 1003289)

CRC has evaluated the above product against a list of internationally recognized and regulated allergens. The following information is provided to assist our customers in complying with allergen safety programs.

Allergen	Present in Product	Present on Same Production Line	Present in Facility
Dairy / Milk	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Soy	□Yes / ⊠No	⊠Yes / □No	⊠Yes / □No
Peanut	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Egg	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Tree Nut (almonds, brazil nuts, cashews, hazelnuts, macadamia nuts, pecans, pine nuts, pistachio nuts and walnuts)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Sesame Seed	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Mustard Seed	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Gluten (wheat, barley, oats, rye)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Seafood (fish, crustacean and molluscan shellfish)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Sulfites	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Buckwheat	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Celery	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Lupin	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Bee pollen / Propolis	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Royal Jelly	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Mango	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Peach	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Pork	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Tomato	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Latex (natural rubber)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. For more information, please contact our Technical Service Dept at 800-521-3168.

CRC INDUSTRIES, INC.

Michelle Rudrick

Michelle Rudnick Senior Manager Regulatory Affairs

HACCP INTERNATIONAL

eliminate the hazard - reduce the risk



This is to certify that

CRC Industries (Aust) Pty Limited

CRC Green Light Program (SSZ) - limited to the lubricant products listed below Food Zone Classification: SSZ (Splash or Spill Zone)

> (Limited to the products listed on the Certification Statement)

are certified as suitable aids to equipment maintenance operations within food facilities that operate a

HACCP based Food Safety Programme

noting the conditions of the certification statement



03 March 2023

18 March 2025

Issue Date

Expiry Date

This certificate belongs to HACCP International and must be returned upon demand. All products and services to which this certificate refers are evaluated prior to reissue

HACCP INTERNATIONAL: No. 3 Ridgewest Building, 1 Ridge Street, North Sydney, NSW 2060, Australia www.hacco-international.com



PE-747-CRC-1-R1-05

HACCP INTERNATIONAL

eliminate the hazard - reduce the risk

Certification Statement

PE-747-CRC-1-R1-05

CRC Industries (Aust) Pty Limited

Certificate Expiry Date 18 March 2025

CRC Green Light Program (SSZ) - limited to the lubricant products listed below

Food Zone Classification: SSZ (Splash or Spill Zone)

FG03035 CRC Water Based Silicone 13oz

FG03038 CRC Food Grade White Grease 10oz

FG03039 CRC Food Grade Silicone 15oz

FG03040 CRC Food Grade Silicone 10oz

FG03054 CRC Syntha-Tech Lubricant with PTFE 11oz

FG03055 CRC Food Grade Chain Lube 12oz

FG03065 CRC Food Grade Belt Dressing 10oz

FG03081 CRC Food Grade Machine Oil 11oz

FG03082 CRC Di-Electric Grease 10oz

FG03085 CRC Food Grade Di-Electric Grease 3.3oz

FG03086 CRC Food Grade Penetrating Oil 11oz

FG03139 CRC Parcel Glide Silicone Lubricant 15oz

FG3037 CRC Food Grade Industrial Silicone Grease 75ml

FGSL35600 Sta-Lube Multi-purpose Food Grade Grease 14oz

FGSL35610 CRC Synthetic Food Grade Grease 14oz

FGSL35905 Sta-Lube FG Anti-Seize & Lubricating Compound 8oz

HACCP Australia Pty Ltd certifies the Green Light Program provided by CRC Industries as a suitable aid to equipment maintenance operations within food handling and food processing facilities that operate a HACCP based Food Safety Programme.

Licence Commencement 19 March 2023

Certificate Issue Date 03 March 2023



HACCP International's evaluation and certification is strictly confined to matters of food safety or the operation of a HACCP based Food Safety Programme. Whilst all reasonable care is taken by HACCP International in its evaluation of the product(s) or services(s) described herein, HACCP International does not guarantee that every food safety risk in every application has been identified. No guarantee is offered or implied in the issuing of this statement.

Licence Agreement

CRC Industries (Aust) Pty Limited is licensed to use the HACCP International certification mark, in accordance with HACCP International's Certification Trade Mark Rules and Conditions in Region 1 (Australasia) in respect of the products listed above, for a period of 24 months from the licence commencement date CRC Industries (Aust) Pty Limited is in receipt of the HACCP International Pty Ltd Certification Trade Mark Rules and Conditions v3.0 and agrees to abide by the conditions therein.

Licensee's Signature:

178

Date: 14/03/202