

# Food Grade Compliance Documentation

**PRODUCT:** CRC FOOD GRADE SILICONE **CODE:** FG03040 **SIZE:** 284g

### THIS DOCUMENT CONTAINS

- SDS
- TDS
- NSF Registration
- Allergen Certificate
- HACCP Certification



# IN CASE OF EMERGENCY CALL: 13 11 26

### CRC Industries Australia Pty. Ltd.

9 Gladstone Road Castle Hill NSW 2154, Australia www.crcindustries.com.au

Toll Free: 1800 224 227 Email: info.au@crcind.com

03/05/2023



### SAFETY DATA SHEET

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

#### Product name FOOD GRADE SILICONE

Synonyms CRC FOOD GRADE SILICONE • FG03040 - PRODUCT CODE

#### 1.2 Uses and uses advised against

Uses LUBRICANT

#### 1.3 Details of the supplier of the product

Supplier name	CRC INDUSTRIES (AUST) PTY LIMITED		
Address	9 Gladstone Road, Castle Hill, NSW, 2154, AUSTRALIA		
Telephone	(02) 9849 6700		
Fax	(02) 9680 4914		
Email	info.au@crcind.com		
Website	www.crcindustries.com.au		

#### 1.4 Emergency telephone numbers

Emergency 13 11 26 (PIC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### **Physical Hazards**

Aerosols - Flammable: Category 1 Aerosols - Pressurised: Category 1

#### Health Hazards

Aspiration Hazard: Category 1 Specific Target Organ Toxicity (Single Exposure): Category 3 (Narcotic Effects)

#### **Environmental Hazards**

Not classified as an Environmental Hazard

#### 2.2 GHS Label elements

Signal word DAN	GER
-----------------	-----

Pictograms



#### **Hazard statements**

H222	
H229	
H304	
H336	

Extremely flammable aerosol. Pressurized container: may burst if heated. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.



Prevention statements P210 P211 P251 P261 P271	<ul> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Do not spray on an open flame or other ignition source.</li> <li>Do not pierce or burn, even after use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Use only outdoors or in a well-ventilated area.</li> </ul>
<b>Response statements</b> P301 + P310 P304 + P340 P312 P331	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE or doctor/physician if you feel unwell. Do NOT induce vomiting.
<b>Storage statements</b> P403 + P233 P405 P410 + P412	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C.
<b>Disposal statements</b> P501	Dispose of contents/container in accordance with relevant regulations.

#### 2.3 Other hazards

No information provided.

#### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
NAPHTHA (PETROLEUM), HYDROTREATED LIGHT (<0.1% W/W BENZENE)	64742-49-0	265-151-9	50 to 60%
1,1-DIFLUOROETHANE (HFC-152A)	75-37-6	200-866-1	<30%
PETROLEUM GASES, LIQUEFIED, SWEETENED (<0.1% 1,3-BUTADIENE)	68476-86-8	270-705-8	<30%
DIMETHYL SILOXANE	63148-62-9	613-156-5	2 to 5%
N-HEXANE	110-54-3	203-777-6	<2%

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Еуе	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. To protect rescuer, use a Type A (Organic vapour) respirator or an Air-line respirator (in poorly ventilated areas). Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.
First aid facilities	Eye wash facilities and safety shower should be available.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

### ChemAlert.

#### 5.2 Special hazards arising from the substance or mixture

Extremely flammable aerosol. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Aerosol may explode at temperatures exceeding 50°C. Eliminate all ignition sources, including cigarettes, open flames, spark producing switches/tools, heaters, pilot lights, mobile phones, etc when handling. Aerosol cans may explode above 50°C.

#### 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

#### 5.4 Hazchem code

- 2YE
- 2 Fine Water Spray.
- Y Risk of violent reaction or explosion. Wear full fire kit and breathing apparatus. Contain spill and run-off.
- E Evacuation of people in and around the immediate vicinity of the incident should be considered.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool (< 50°C), dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure aerosol containers/ cans are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for damaged/ leaking containers. Large storage areas should have appropriate fire protection systems.

#### 7.3 Specific end uses

No information provided.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

#### Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m³	ppm	mg/m³
Liquefied petroleum gas (LPG)	SWA [AUS]	1000	1800	1000	1800
Mineral Oil Mist	SWA [AUS]		5		
n-Hexane	SWA [AUS]	20	72		

#### **Biological limits**

Ingredient	Determinant	Sampling Time	BEI
N-HEXANE	2,5-Hexanedione in urine (without hydrolysis)	End of shift	0.5 mg/L
r.	5.4		

Reference: ACGIH Biological Exposure Indices

## ChemAlert.

#### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof extraction ventilation is recommended. Flammable vapours may accumulate in poorly ventilated or confined areas. Vapours are heavier than air and may travel some distance to an ignition source and flash back. Maintain vapour levels below the recommended exposure standard.

#### PPE

Eye / Face	Wear splash-proof goggles.
Hands	Wear nitrile or neoprene gloves.
Body	When using large quantities or where heavy contamination is likely, wear coveralls.
Respiratory	At high vapour levels, wear a Type A-Class P1 (Organic gases/vapours and Particulate) respirator.



#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

1.7	
Appearance	CLEAR LIQUID (AEROSOL DISPENSED)
Odour	SOLVENT ODOUR
Flammability	EXTREMELY FLAMMABLE
Flash point	< 10°C
Boiling point	NOT AVAILABLE
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
рН	NOT AVAILABLE
Vapour density	NOT AVAILABLE
Relative density	0.68
Solubility (water)	INSOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT AVAILABLE
Lower explosion limit	NOT AVAILABLE
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

#### **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

#### 10.6 Hazardous decomposition products

May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

## ChemAlert.

#### **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Acute toxicity

This product may have the potential to cause adverse health effects if intentionally misused (e.g. deliberately inhaling contents).

#### Information available for the ingredients:

Ingredient		Oral LD50	Dermal LD50	Inhalation LC50
		> 5000 mg/kg (OECD TG 401)	> 2000 mg/kg (OECD TG 402)	> 5610 mg/m3 (OECD TG 403)
1,1-DIFLUOROETHA	1,1-DIFLUOROETHANE (HFC-152A)			977 mg/m³/2 hours (mouse)
DIMETHYL SILOXAN	NE	> 17000 mg/kg (rat)	> 2000 mg/ kg (rabbit)	
N-HEXANE		25 g/kg (rat)	3000 mg/kg (rabbit)	48000 ppm/4 hours (rat)
Skin	Not classified as an irritant. Contact may result in mild irritation, drying and defatting of the skin, rash an dermatitis.			atting of the skin, rash and
Eye	Not classified as an eye irritant. Contact may cause discomfort, lacrimation and redness.			
Sensitisation	Not classified as causing ski	Not classified as causing skin or respiratory sensitisation.		
Mutagenicity	Not classified as a mutagen			
Carcinogenicity	Not classified as a carcinoge	Not classified as a carcinogen.		
Reproductive	Not classified as a reproductive toxin. Contains n-hexane, which is suspected of damaging fertility, at levels below that required for classification.			
STOT - single exposure	Over exposure may result in dizziness and nausea.			
STOT - repeated exposure	Not classified as causing organ damage from repeated exposure.			
Aspiration	Ingestion is considered unlikely due to product form. However, if liquid component is ingested, aspiration into the lungs may cause chemical pneumonitis and pulmonary oedema.			

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No information provided.

#### 12.2 Persistence and degradability

No information provided.

#### 12.3 Bioaccumulative potential

No information provided.

#### 12.4 Mobility in soil

No information provided.

#### 12.5 Other adverse effects

No information provided.

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

- Waste disposal
- For small amounts, absorb contents with sand or similar and dispose of to an approved landfill site. Do not puncture or incinerate aerosol cans. Contact the manufacturer/supplier for additional information (if required).

Dispose of in accordance with relevant local legislation. Legislation

#### 14. TRANSPORT INFORMATION

#### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE





	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	1950	1950	1950
14.2 Proper Shipping Name	AEROSOLS	AEROSOLS	AEROSOLS
14.3 Transport hazard class	2.1	2.1	2.1
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant.

#### 14.6 Special precautions for user

Hazchem code	2YE
GTEPG	2D1
EmS	F-D, S-U

#### **15. REGULATORY INFORMATION**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 Poison schedule
 A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

 Classifications
 Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7).

 Inventory listings
 AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

#### Inventory listings AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals) All components are listed on AIIC, or are exempt.

#### **16. OTHER INFORMATION**

Additional information AEROSOL CANS may explode at temperatures approaching 50°C.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



Abbreviations	ACGIH CAS # CNS EC No. EMS	American Conference of Governmental Industrial Hygienists Chemical Abstract Service number - used to uniquely identify chemical compounds Central Nervous System EC No - European Community Number Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous
	GHS GTEPG IARC LC50 LD50 mg/m <sup>3</sup> OEL pH STEL STOT-RE STOT-RE SUSMP SWA TLV TWA	Goods) Globally Harmonized System Group Text Emergency Procedure Guide International Agency for Research on Cancer Lethal Concentration, 50% / Median Lethal Concentration Lethal Dose, 50% / Median Lethal Dose Milligrams per Cubic Metre Occupational Exposure Limit relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). Parts Per Million Short-Term Exposure Limit Specific target organ toxicity (repeated exposure) Specific target organ toxicity (single exposure) Standard for the Uniform Scheduling of Medicines and Poisons Safe Work Australia Threshold Limit Value Time Weighted Average
Report status		nt has been compiled by RMT on behalf of the manufacturer, importer or supplier of the erves as their Safety Data Sheet ('SDS').
	manufacturer, the current sta at the time of	on information concerning the product which has been provided to RMT by the importer or supplier or obtained from third party sources and is believed to represent ate of knowledge as to the appropriate safety and handling precautions for the product f issue. Further clarification regarding any aspect of the product should be obtained he manufacturer, importer or supplier.
	not provide an no liability for	as taken all due care to include accurate and up-to-date information in this SDS, it does ny warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts any loss, injury or damage (including consequential loss) which may be suffered or ny person as a consequence of their reliance on the information contained in this SDS.
Prepared by	Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com	
		[ End of SDS ]



### **TECHNICAL DATA SHEET**

Product No. FG03040



## **CRC Industries (Aust) Pty. Limited**

PO Box 199, Castle Hill, NSW 1765.

#### I. Product Description

**CRC Food Grade Silicone** is a multi-purpose dry film silicone spray for use on food processing and handling equipment. It forms a colourless, odourless film that does not attract dust and product debris. It lubricates and protects in most metal and non-metal applications without damaging treated surfaces or leaving marks or stains. It eliminates binding and sticking and is an excellent release and parting agent. Temperature Range from -40 °C to 200 °C. NSF H1 Registered for incidental food contact.

#### II. Features & Benefits

- Dry film Does not attract dust and product debris
- Excellent release and parting agent Ideal to streamline processes on food sorting and handling lines, products will not stick to treated surfaces
- **General lubricant for all surfaces** Metals, plastics, rubber, adhesives, wood, fabrics, glass, inks and paints
- Resists Moisture Stays in place in damp environments
- 360 °C degree valve Aerosol can be sprayed from any position even upside down
- Non-toxic, colourless, odourless, tasteless
- Wide Temperature range Effective from -40 °C to 200 °C
- NSF H1 Registered for incidental food contact

#### III. Application and Directions

#### **Preparation:**

1. Do not use on energized systems.

#### Application:

- 1. Spray light, even film on areas requiring lubrication or protection.
- 2. Use extension tube for hard-to-reach areas.
- 3. Repeat application if necessary.

#### **IV.** Typical Properties and Characteristics

#### **Physical Properties:**

Flash Point	-5℃
Boiling Point	60 ℃ Initial
Odour	Petroleum like
Appearance	Clear, water-like liquid
Solubility	Neg. in water
% Volatile	97%
Vapor Density	>air
Specific Gravity	0.6694
Propellant	Hydrocarbon

#### Product No. FG03040

#### **Performance Characteristics:**

Type of film	Clear, non-drying
Temperature Range	-40 ℃ to +200 ℃
Dielectric Strength (ASTM D-877)	350 volts/mil

#### V. Package Description

Part Number	Size	
FG03040	284grms	

#### VI. Special Precautions

#### General:

Extremely flammable aerosol. Keep away from naked flames, electrical appliances/lights, lighted cigarettes, etc. Use with adequate ventilation. Store in a cool, well-ventilated area. Dispose of empty containers safely. All unused product should be disposed of in conformance with local and HSNO regulations, do not contaminate water supply. Refer to Material Safety Data Sheet for more details. Aerosol Cans:

Do not puncture, incinerate or store above 50 °C. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

#### First Aid:

Swallowed - Do NOT give milk or oil. Do NOT give alcohol.

Skin - Remove contaminated clothing and wash skin thoroughly with soap and water. Remove any adhering solids with industrial skin cleansing cream. Do not use solvents. Seek medical attention in the event of irritation. Wash contaminated clothing before reuse.

Eyes – Immediately hold the eyelids apart and flush the eye continuously for at least 15 minutes with fresh running water.

Inhaled – Remove to fresh air. Lay patient down. Keep warm and rested.

Refer to Safety Data Sheet for more details.

PRODUCT WARRANTY: CRC offers a conditional warranty on this product for the period of 5 years from the date of manufacture.

DISCLAIMER: All information on this data sheet is based on testing by CRC Industries (Aust.) Pty. Ltd. All products should be tested for suitability on a particular application prior to actual use. CRC Industries (Aust.) Pty. Ltd. makes no representations or warranties of any kind concerning this data.



October 22, 2018

Mr. Bill Anders CRC Industries, Inc. 885 Louis Drive Warminster,PA 18974 United States

RE: CRC® Industrial Food Grade Silicone (Aerosol) Category Code: H1 NSF Registration No.017393

Dear Mr. Bill Anders:

NSF has processed the application for Registration of **CRC® Industrial Food Grade Silicone (Aerosol)** to the *NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds* (2017), which are available upon request by contacting <u>NonFood@nsf.org</u>. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Mark and Category Code appear on the NSF-approved product label, and the Registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<u>www.nsfwhitebook.org</u>).

NSF Listing of all Registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at <u>www.nsfwhitebook.org</u>. Changes in formulation or label, without the prior written consent of NSF, will void Registration, and will supersede the on-line listing. Please contact your NSF Project Manager or <u>nonfood@nsf.org</u> if you have any questions or concerns pertaining to this letter.

Sincerely,

Caron Gillillougo

Carolyn Gillilland NSF NonFood Compound Registration Program Company No: N02027



### CRC Industries, Inc.

Global Headquarters: 800 Enterprise Road, Suite 101 | Horsham, PA 19044 | 215.674.4300 Manufacturing and R&D Center: 885 Louis Drive | Warminster, PA 18974 | 215.674.4300

### ALLERGEN CERTIFICATE

Date:	23-Mar-23
Date:	23-Mar-23

Product Name: Food Grade Silicone

Product Code: No. 03040 (Item# 1003296)

CRC has evaluated the above product against a list of internationally recognized and regulated allergens. The following information is provided to assist our customers in complying with allergen safety programs.

Allergen	Present in Product	Present on Same Production Line	Present in Facility
Dairy / Milk	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Soy	□Yes / ⊠No	⊠Yes / □No	⊠Yes / □No
Peanut	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Egg	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Tree Nut (almonds, brazil nuts, cashews, hazelnuts, macadamia nuts, pecans, pine nuts, pistachio nuts and walnuts)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Sesame Seed	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Mustard Seed	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Gluten (wheat, barley, oats, rye)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Seafood (fish, crustacean and molluscan shellfish)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Sulfites	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Buckwheat	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Celery	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Lupin	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Bee pollen / Propolis	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Royal Jelly	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Mango	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Peach	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Pork	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Tomato	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Latex (natural rubber)	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. For more information, please contact our Technical Service Dept at 800-521-3168.

CRC INDUSTRIES, INC.

Michelle Rudnick

Michelle Rudnick Global Director of Regulatory Affairs

### **HACCP** INTERNATIONAL eliminate the hazard - reduce the risk



This is to certify that

# CRC Industries (Aust) Pty Limited

CRC Green Light Program (SSZ) - limited to the lubricant products listed below Food Zone Classification: SSZ (Splash or Spill Zone)

> (Limited to the products listed on the **Certification Statement)**

are certified as suitable aids to equipment maintenance operations within food facilities that operate a

HACCP based Food Safety Programme noting the conditions of the certification statement



03 March 2023

Issue Date

Expiry Date

This certificate belongs to HACCP International and must be returned upon demand. All products and services to which this certificate refers are evaluated prior to reissue

HACCP INTERNATIONAL: No. 3 Ridgewest Building, 1 Ridge Street, North Sydney, NSW 2060, Australia www.hacco-international.com



**Certificate Number** PE-747-CRC-1-R1-05

### HACCP INTERNATIONAL

eliminate the hazard - reduce the risk

Certification Statement	PE-747-CRC-1-R1-05	
CRC Industries (Aust) Pty Limited		
Certificate Expiry Date	18 March 2025	
CRC Green Light Program (S	SSZ) - limited to the lubricant	
products listed below		
Food Zone Classification: SSZ (Splash or Spill Zone)		
FG03035 CRC Water Based Silicone 13oz		
FG03038 CRC Food Grade White Grease 10oz		
FG03039 CRC Food Grade Silicone 15oz		
FG03040 CRC Food Grade Silicone 10oz		
FG03054 CRC Syntha-Tech Lubricant with PTFE 11oz FG03055 CRC Food Grade Chain Lube 12oz		
FG03065 CRC Food Grade Belt Dressing 10oz		
FG03081 CRC Food Grade Machine Oil 11oz		
FG03082 CRC Di-Electric Grease 10oz		
FG03085 CRC Food Grade Di-Electric Grease 3.3oz		
FG03086 CRC Food Grade Penetrating Oil 11oz		
FG03139 CRC Parcel Glide Silicone Lubricant 15oz FG3037 CRC Food Grade Industrial Silicone Grease 75ml		
FGSU37 CRC Food Grade industrial Silicone Grease 75mi FGSL35600 Sta-Lube Multi-purpose Food Grade Grease 14oz		
FGSL35610 CRC Synthetic Food Grade Grease 14oz		
FGSL35905 Sta-Lube FG Anti-Seize & Lubricating Compound 8oz		

HACCP Australia Pty Ltd certifies the Green Light Program provided by CRC Industries as a suitable aid to equipment maintenance operations within food handling and food processing facilities that operate a HACCP based Food Safety Programme.

Licence Commencement 19 March 2023

Certificate Issue Date

03 March 2023

HACCP International's evaluation and certification is strictly confined to matters of food safety or the operation of a HACCP based Food Safety Programme. Whilst all reasonable care is taken by HACCP International in its evaluation of the product(s) or services(s) described herein, HACCP International does not guarantee that every food safety risk in every application has been identified. No guarantee is offered or implied in the issuing of this statement.

### Licence Agreement

CRC Industries (Aust) Pty Limited is licensed to use the HACCP International certification mark, in accordance with HACCP International's Certification Trade Mark Rules and Conditions in Region 1 (Australasia) in respect of the products listed above, for a period of 24 months from the licence commencement date CRC Industries (Aust) Pty Limited is in receipt of the HACCP International Pty Ltd Certification Trade Mark Rules and Conditions v3.0 and agrees to abide by the conditions therein.

Licensee's Signature:

Date: 14/03/2023

HEAD OFFICE : No. 3 Ridgewest Building, 1 Ridge Street, North Sydney, NSW 2060 Australia T : +61 2 9956 6911 www.haccp-international.com ABN : 98 138 356 359

REGIONAL OFFICES : FIJI • HONG KONG • INDIA • JAPAN • SINGAPORE • UK • USA



