



CRC Food Grade Multi-Purpose Grease is a tenacious, white, aluminium complex grease providing superior lubrication and durability in food production and processing applications.

It is designed for effective lubrication and protection of ball, roller and plain bearings that operate under high loads and temperatures and require a long grease life. It protects equipment against rust, oxidation and wear.

CRC Food Grade Multi-Purpose Grease resists throw-off, shear breakdown as well as water and detergent wash out. It will not pound out of bearings and bushings during shock loads. NSF H1 Registered for incidental food contact.

Item Code: FGSL35600 Pack Size: 396g

Features and Benefits

- **Excellent Adhesion:** Resists Sling-Off
- **Highly resistant to moisture, water and detergent:** Will not wash off when equipment is cleaned
- **Protects against rust and corrosion**
- **Non-toxic, tasteless**
- **Wide Temperature Range:** Effective from -20°C to +200°C
- **NSF H1 Registered for incidental food contact**

Typical Properties and Characteristics

Flash Point	> 230°C
Odour	Slight odour
Appearance	Viscous white grease
Solubility	Insoluble
% Volatile	0.3%
NLGI Grade	2
Specific Gravity	0.89
Boiling Point	ND

Viscosity Base Oil @ 37°C	SUS 600
Viscosity Base Oil @ 99°C	SUS 69
Drop Point (ASTM D-2268)	250°C
Timken OK Load (ASTM D-2509)	40 lbs
Four-Ball EP Weld (ASTM D-2596)	400 kg F
Temperature Range	-20°C to +200°C

Directions

1. Do not mix greases of different base type.
2. Use a solvent to remove and clean out traces of incompatible grease before repacking.
3. Repack according to manufacturer's instructions.

Special Precautions

General:

Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use. Observe good industrial hygiene practices. Store away from incompatible materials. Do not store container above 100°F / 37.8°C. First Aid: Wash hands after handling.

Dispose of contents/container in accordance with relevant regulations. All unused product should be disposed of in conformance with local and hazard regulations, do not contaminate water supply.

Refer to **Safety Data Sheet** for more details.

Product Warranty or Shelf Life

CRC offers a conditional warranty on this product for the period of 5 years from the date of manufacture.

Contact Information

CRC Industries (Aust) Pty Ltd
9 Gladstone Road, Castle Hill
NSW 2154, Australia

www.crcindustries.com.au
PH: 1800 224 227
Email: info.au@crcind.com

Disclaimer: All information on this data sheet is based on testing by CRC Industries (Aust) Pty Ltd. All products should be tested for suitability on a particular application prior to actual use. CRC Industries (Aust) Pty Ltd makes no representations or warranties of any kind concerning this data.

Technical Data Sheet Version 08/2024